

EDN

●마크의 설명은 P2을 보십시오.



공구No EDP No	외경 D	전장 L	날장 Lc	자루경 d
120001K	1	55	3.5	6
120003K	1.5	55	4.5	6
120000K	2	55	6	6
120002K	2.5	55	7	6
120004K	3	55	10	6
120006K	3.5	60	12	8
120008K	4	60	12	8
120010K	4.5	65	15	8
120012K	5	65	15	8
120014K	5.5	65	15	8
120016K	6	65	15	8
120018K	6.5	75	20	10
120020K	7	75	20	10
120022K	7.5	75	20	10
120024K	8	75	20	10
120026K	8.5	80	25	10
120028K	9	80	25	10
120030K	9.5	80	25	10
120032K	10	80	25	10
120036K	11	90	30	12
120040K	12	90	30	12
120044K	13	95	35	12
120048K	14	100	35	16
120052K	15	105	40	16
120056K	16	105	40	16
120060K	17	105	40	16
120064K	18	105	40	16
120068K	19	115	45	20
120072K	20	115	45	20
120076K	21	115	45	20

공구No EDP No	외경 D	전장 L	날장 Lc	자루경 d
120080K	22	115	45	20
120084K	23	125	50	25
120088K	24	125	50	25
120092K	25	125	50	25
120096K	26	125	50	25
120100K	27	125	55	25
120104K	28	125	55	25
120108K	29	125	55	25
120112K	30	125	55	32
120116K	31	145	60	32
120120K	32	145	60	32
120124K	33	145	60	32
120128K	34	145	60	32
120132K	35	145	60	32
120136K	36	150	65	32
120140K	37	150	65	32
120144K	38	150	65	32
120148K	39	150	65	32
120152K	40	150	65	42
120156K	41	160	70	42
120160K	42	160	70	42
120164K	43	160	70	42
120168K	44	160	70	42
120172K	45	160	70	42
120176K	46	165	75	42
120180K	47	165	75	42
120184K	48	165	75	42
120188K	49	165	75	42
120192K	50	165	75	42

기타 SIZE도 주문제작 가능합니다.

구 분	탄소강 합금강·공구강	프리하든강 소입강	스테인레스강	주철 덕타일주철	동합금	알루미늄합금	티탄합금	내열합금	플라스틱
	~40HRC	~45HRC	~35HRC	~350HB					
EDN	○		○	○	○	○			

EX-TiN-EDN

하이엔드밀

●마크의 설명은 P2를 보십시오.



2날 엔드밀

공구No EDP No	외경 D	전장 L	날장 Lc	자루경 d
130001K	1	55	3.5	6
130003K	1.5	55	4.5	6
130000K	2	55	6	6
130002K	2.5	55	7	6
130004K	3	55	10	6
130006K	3.5	60	12	8
130008K	4	60	12	8
130010K	4.5	65	15	8
130012K	5	65	15	8
130014K	5.5	65	15	8
130016K	6	65	15	8
130018K	6.5	75	20	10
130020K	7	75	20	10
130022K	7.5	75	20	10
130024K	8	75	20	10
130026K	8.5	80	25	10
130028K	9	80	25	10
130030K	9.5	80	25	10
130032K	10	80	25	10
130036K	11	90	30	12
130040K	12	90	30	12
130044K	13	95	35	12
130048K	14	100	35	16
130052K	15	105	40	16
130056K	16	105	40	16
130060K	17	105	40	16
130064K	18	105	40	16
130068K	19	115	45	20
130072K	20	115	45	20
130076K	21	115	45	20

공구No EDP No	외경 D	전장 L	날장 Lc	자루경 d
130080K	22	115	45	20
130084K	23	125	50	25
130088K	24	125	50	25
130092K	25	125	50	25
130096K	26	125	50	25
130100K	27	125	55	25
130104K	28	125	55	25
130108K	29	125	55	25
130112K	30	125	55	32
130116K	31	145	60	32
130120K	32	145	60	32
130124K	33	145	60	32
130128K	34	145	60	32
130132K	35	145	60	32
130136K	36	150	65	32
130140K	37	150	65	32
130144K	38	150	65	32
130148K	39	150	65	32
130152K	40	150	65	42
130156K	41	160	70	42
130160K	42	160	70	42
130164K	43	160	70	42
130168K	44	160	70	42
130172K	45	160	70	42
130176K	46	165	75	42
130180K	47	165	75	42
130184K	48	165	75	42
130188K	49	165	75	42
130192K	50	165	75	42

기타 SIZE도 주문제작 가능합니다.

구 분	탄소강 합금강·공구강	프리하든강 소입강	스테인레스강	주 철 덕타일주철	동합금	알루미늄합금	티탄합금	내열합금	플라스틱
	~40HRC	~45HRC	~35HRC	~350HB					
EX-TiN-EDN	○	○	○	○	○	○			

EX-TiCN-EDN

●마크의 설명은 P2을 보십시오.



하이엔드밀

2날 엔드밀

공구No EDP No	외경 D	전장 L	날장 Lc	자루경 d
630001K	1	55	3.5	6
630003K	1.5	55	4.5	6
630000K	2	55	6	6
630002K	2.5	55	7	6
630004K	3	55	10	6
630006K	3.5	60	12	8
630008K	4	60	12	8
630010K	4.5	65	15	8
630012K	5	65	15	8
630014K	5.5	65	15	8
630016K	6	65	15	8
630018K	6.5	75	20	10
630020K	7	75	20	10
630022K	7.5	75	20	10
630024K	8	75	20	10
630026K	8.5	80	25	10
630028K	9	80	25	10
630030K	9.5	80	25	10
630032K	10	80	25	10
630036K	11	90	30	12
630040K	12	90	30	12
630044K	13	95	35	12
630048K	14	100	35	16
630052K	15	105	40	16
630056K	16	105	40	16
630060K	17	105	40	16
630064K	18	105	40	16
630068K	19	115	45	20
630072K	20	115	45	20
630076K	21	115	45	20

공구No EDP No	외경 D	전장 L	날장 Lc	자루경 d
630080K	22	115	45	20
630084K	23	125	50	25
630088K	24	125	50	25
630092K	25	125	50	25
630096K	26	125	50	25
630100K	27	125	55	25
630104K	28	125	55	25
630108K	29	125	55	25
630112K	30	125	55	32
630116K	31	145	60	32
630120K	32	145	60	32
630124K	33	145	60	32
630128K	34	145	60	32
630132K	35	145	60	32
630136K	36	150	65	32
630140K	37	150	65	32
630144K	38	150	65	32
630148K	39	150	65	32
630152K	40	150	65	42
630156K	41	160	70	42
630160K	42	160	70	42
630164K	43	160	70	42
630168K	44	160	70	42
630172K	45	160	70	42
630176K	46	165	75	42
630180K	47	165	75	42
630184K	48	165	75	42
630188K	49	165	75	42
630192K	50	165	75	42

기타 SIZE도 주문제작 가능합니다.

구 분	탄소강 합금강·공구강	프리하든강 소입강	스테인레스강	주 철 덕타일주철	동합금	알루미늄합금	티탄합금	내열합금	플라스틱
	~40HRC	~45HRC	~35HRC	~350HB					
EX-TiCN-EDN	○	○	○	○	○	○			